

LUXURY WALL SOLUTIONS

# Luxury wall solutions











### When bricks and mortar is simply too...passé.

LuxeWall® has been the hidden secret of high end architectural companies for years. Used as centre piece walling for signature designer buildings, LuxeWall® was simply out of reach for the residential market. That's now changed forever. For home owners who prefer a premium look and performance, only LuxeWall® will suffice. Stand out from the crowd and make a statement, with LuxeWall®.










### **Brilliant colours including metallics**


You don't follow fashion trends, you set them, and you know the classics never date. You need colours that reflect the modern contemporary look, yet allow your personal touches to shine through. LuxeWall® colours have been carefully designed and manufactured to ensure it matches the quality of your entire home. With LuxeWall®, your home will be the jewel in the street.

#### Colorbond® Metallic



Cosmic® Astro®

Colorbond® Matt



**Matt Surfmist®** 

Matt Basalt®

# \* Other standard Colorbond® colours are available depending on minimum order quantity orders and availability. Texture ready Primed also available.

## **Superior comfort**

At its core, is the ultimate in comfort, keeping you cool, or warm, while minimising heating and cooling costs. The future is here with LuxeWall® walling, something Europe has embraced for many years. LuxeWall® is a highly developed and refined insulated cladding material developed specifically for the Australian climate.

#### **Integrated Insulation Layer**

Our Standard core is specifically designed to provide the high performance you'd expect for a quality product. Made from the proven insulation leader, EPS-FR is a high strength insulation material, with fire retardant, pesticide and fungicide additives for the ultimate protection.

# LuxeWall® Thermal Performance of integrated insulation (SmartRate certified Total R-Values)

LuxeWall® Performance	Total R Value Without Batts	Total R Value with R1.5 Batts	Total R Value with R2.0 Batts
LuxeWall® Standard 50mm	R1.8	R3.1	R3.6
LuxeWall® Standard 75mm	R2.4	R3.7	R4.2

\*LuxeWall® SmartRate certified Total R-Values (m°K/W) at 23°C based on NCC2016 Spec J1.5 Wall Construction. Refer to NCC for application and local climate zone requirements.









Performance Criteria				
Material	Brick Veneer	Weather Board	Autoclaved Aerated Concrete	LuxeWall® Panel
Finish	Monolithic	70's Retro	Stucco	Modern colours & finishes
Faster Construction Install rate compared to bricks	1 Brick	63 Bricks	75 Bricks	103 Bricks
Additional Trades Less is better	Optional render	Priming & painting required	Render required	None pre-finished



www.LuxeWall.com.au

1300 300 099

Made by the best in the business





